

ERMO



PRODUCT CATALOG

INDEX

4-16 X-POWER (XP-PRO)

17-25 X-FIRE(XF-PRO)

27-34 XA-4 SERIES

35-39 XPA SERIES

40-41 XR SERIES

42-44 TAC-4 SERIES

45-46 BULLPUP

47-48 X-SHOT SERIES

49-53 X-LINE SERIES

54-55 ROCKY SXS

56-64 OVER & UNDER SERIES

65-66 SBX

67-68 REVOLVER

69-72 SAX SERIES

73-75 LEVER ACTION SERIES

76-82 X-ROTARY

83-84 MAGAZINE

ERMOX

ABOUT US

ERMOX Defense and Firearms Industry Import Export Trade Ltd. Co. was established in 1995 and from that date, having Facility Clearance License and Manufacturing Permits from the Ministry of Defense, keeps designing, manufacturing and delivering top quality products to various countries each and every day. All our products comply with international standards and regulations. With its firm quality and reliability standards, Ermox takes steps toward becoming a World Brand, feeding its roots from Huglu's archaic manufacturing experience which goes 100 years back to WWI. Thus, for us, craftsmanship is not a single expression of skill. We have a promise to the World with a young and dynamic structure, very strong cutting-edge production infrastructure inheriting 100 years experience and knowledge. At Ermox, we are focused on building dependable firearms that each of our customers can enjoy for a lifetime. ERMOX runs its production operations using advanced technological machinery along with an innovative R&D team designing each and every product capable of successfully passing a series of stringent tests till the extreme accuracy.

Products and Solutions for Defense, Aerospace and Security:

ERMOX has a wide range of selection consisting of tactical rifles, shotguns and handguns along with AR Platforms, 20 rounds drum magazines and accessories. In each and every firearm, 4140/416R Steel and 7075 Aluminium Solid Materials are drilled/processed, along with the parts in the mechanisms. All types of coating and original camouflage options are applicable on all the models. Exports: ERMOX exports its products to 23 countries currently. Along with Ermox Shotguns and .308 Caliber Rifles, Ermox X-FIRE and X-POWER 9mm Pistols are highly appreciated by the users all over the world. Having a wide service network and spare part support, our clients can enjoy our products a life span. Ermox Defense has MOD Facility Security Certificate, CIP and ISO 9001-2015 Quality Management System certificates, and also is an TIM registered supplier.

For more detailed information please visit our web page www.ermox.com.tr



X-POWER

X-POWER (XP-PRO) 9X19 MM PISTOL



The XP PRO™ represents a groundbreaking collaboration between two esteemed firearm manufacturers, Fusion Firearms and Ermox, united in their commitment to innovation and excellence. This partnership merges decades of experience and craftsmanship to create firearms that embody the highest standards of quality, performance, and reliability.

A Legacy of Expertise

Fusion Firearms and Ermox Defense combine their deep expertise and advanced manufacturing capabilities to redefine the standards of modern firearms.

Fusion Firearms, renowned for their premium 1911 models, brings precision engineering and meticulous craftsmanship, while Ermox, based in Turkey, contributes sophisticated manufacturing techniques and cutting-edge technology. Together, they leverage a state-of-the-art CNC machining facility and a strong production infrastructure to ensure that every part of their firearms is crafted with precision and care.

The XP PRO™: A New Era of Firearms

Introducing the patent-pending XP PRO™, a revolutionary double-stack 1911 pistol that seamlessly blends classic design with modern functionality. Engineered to take Glock® 17 magazines, the XP PRO™ offers unparalleled versatility and compatibility, setting a new standard for double-stack 1911 pistols.

X-POWER (XP-PRO) SPECIFICATIONS

CALIBER	COLOR	BARREL
9MM	Chrome & Black	4" Clark/Para Ramped Bull Tennifer Finished
SLIDE	GRIP	SIGHTS
4" Tri-Topped Pro Cocking Serrations Pro Vent Cuts Tennifer Finished Hard Chrome Over Coat	Aluminum Chainlink Pattern Checkered Front Strap Removable Magwell Black	Fixed Combat RMR Ready RMR Plate With Cowitness Sights Included
RECOIL SYSTEM	FRAME	MAGAZINES
1 Piece Full-Length Guide Rod	Steel Tactical Rail Tennifer Hard Chrome	Glock® Compatible (2) 17-round Magazines
WEIGHT	OVERALL LENGTH	TRIGGER
35.5 oz	7.5 Inches	Steel 1 Piece Milled Trigger
PATENT	MATERIALS	MAG-CATCH
Pending	Bar-Stock	Checkered Polycarbonate

Innovation Meets Tradition

The XP PRO™ embodies the perfect harmony of tradition and innovation. Its robust construction and modern features reflect the in-depth knowledge and craftsmanship of Fusion Firearms and Ermox. This collaboration not only brings forth a firearm rich in features but also ensures it performs under the most stringent conditions. Rigorous Testing for Unmatched Reliability
At Fusion Firearms and Ermox Defense, we believe that true innovation is validated through rigorous testing. The XP PRO™ has been subjected to extensive evaluations to ensure it meets our highest standards of durability and reliability.



X-POWER

Endurance Testing

The XP PRO™ underwent a grueling test regimen, where we fired 20,000 rounds to assess its performance under extreme conditions. This comprehensive testing included a variety of ammunition types, such as:

115-grain full metal jacket (FMJ) rounds

124-grain FMJ rounds

147-grain FMJ rounds

Various Hollow point ammunition

Results

Throughout this intensive testing process, the XP PRO™ demonstrated exceptional long-lasting performance with minimal wear, proving itself to be built to last. The robust construction and precision engineering of the pistol ensured consistent functionality and reliability, even after thousands of rounds.



X-POWER

Key Features

Platform:

1911-based double stack, engineered to take Glock® 17 magazines

Construction:

All bar stock materials, precision CNC machined for exceptional durability

Slide: 4" tri-topped slide with pro cocking serrations and front vent cuts for reduced recoil

Sights:

Standard Novak® compatible front and rear combat sights, with an included RMR plate for Red Dot sights

Optic Plates:

Optic plate cuts compatible with most preferred optic brands

Trigger:

One-piece steel milled trigger for a crisp and reliable pull

Barrel: 4" Commander 1911 Clark/Para ramped bull barrel, chambered in 9mm

Recoil Management:

One-piece full-length guide rod

Safety:

Ambidextrous thumb safety for versatile control

Frame:

Steel with tactical rail for Picatinny accessories

Grip:

Aluminum or G10 with chainlink pattern and removable magwell for secure handling

Finish:

Tennifer® QPQ coating for premium durability and corrosion resistance
optional chrome or PVD coating



X-POWER (XP-PRO) 9X19 MM PISTOL



PX-01



PX-02



PX-03



PX-04



PX-05



PX-06



PX-07



PX-08



PX-09



PX-10



PX-11



PX-12



PX-13

FUSION FIREARMS



X-POWER

SPARE PARTS



SP-001
Aluminum grip panels



SP-002
Ambi thumb safety pin



SP-003
Barrel bushing



SP-004
Barrel link



SP-005
Barrel



SP-006
Beaver tail grip safety



SP-007
Compensator



SP-008
Disconnecter



SP-009
Double stack mag catch



SP-010
Double stack wide body mag well



SP-011
Ejector pin



SP-012
Ejector



SP-013
End cap with hole




SP-014
Extended thumb safety



SP-015
Extractor

SPARE PARTS




SP-016
Firing pin stop plate
bomar cut

SP-017
Firing pin stop plate

SP-018
Firing pin stop

SP-019
Firing pin

SP-020
Firing pin spring



SP-021
Aluminum grip panels

SP-022
Grip extention - magwell

SP-023
Grip extention - magwell
for GLOCK magazines

SP-024
Grip safety

SP-025
Grip screws tork



SP-026
Guide rod

SP-027
Guide rod

SP-028
Guide rod products

SP-029
Hammer pin

SP-030
Hammer

SPARE PARTS



SP-031

Link pin



SP-032

Mag lock pin



SP-033

Magazine catch set



SP-034

Magazine Catch



SP-035

Main spring housing retaining pin




SP-035

Main spring housing



SP-036

Main spring internal cap pin



SP-037

Main spring internal plunger pin



SP-038

Main spring internal retaining pin



SP-039

Pin set




SP-040

Plunger tube spring



SP-041

Plunger tube kid



SP-042

Recoil spring



SP-043

Reverse plug



SP-044

Sear pin

SPARE PARTS



SP-045
Sear



SP-046
Metal insert magazine
Glock 15 RDS



SP-047
Metal insert magazine
Glock 17 RDS



SP-048
Sear spring



SP-049
Shock buffs



SP-050
Slide stop



SP-051
Slide



SP-052
Frame



SP-053
Strut pin



SP-054
Sure lock



SP-055
Thumb safety plunger pin



SP-056
Ambi thumb safety



SP-057
Top assembly




SP-058
Trigger stop screw



SP-059
Mono-Block Bar Stock Trigger





SP-028

Polymer magazine
Glock 15 rds



X-FIRE

X-FIRE (XF-PRO) 9X19 MM PISTOL



The XF PRO represents a groundbreaking collaboration between Fusion Firearms and Ermox, two renowned firearm manufacturers committed to innovation. This partnership combines decades of experience and expertise to create firearms that meet the highest standards of quality, performance, and reliability. Together, we strive to bring the best products to the market, ensuring our customers receive exceptional firearms that enhance their shooting experience. Fusion Firearms and Ermox are dedicated to excellence and constant improvement, continually refining their designs to meet the evolving needs of firearm enthusiasts.

The XF PRO is the embodiment of reliability and comfort, offering unlimited shooting pleasure with its advanced dual-recoil spring and the world-famous Safe Action system for extreme safety. Its meticulously crafted design features a tennifer-coated, perforated 4140 steel slide and a space-grade, eloxal+fixage plated aluminum-milled frame, promising a lifetime of unparalleled service. The full metal configuration, combined with a low barrel bore axis and aggressive grip texture, provides maximum control and rapid aim recovery during shooting.

X-FIRE (XF-PRO) SPECIFICATIONS

CALIBER	COLOR	BARREL
9MM	Black	4" Fluted Glock® Gen 4 Compatible Tennifer Finished
SLIDE	GRIP	SIGHTS
Pro Serrations Pro Vents Tennifer Finished	Interchangable Black & Red Included Aluminium & Poly	Fixed Combat Optic Ready RMR & RMS/C Plates Included
RECOIL SYSTEM	FRAME	MAGAZINES
Full Metal Glock® Gen 4&5 Compatible	Aluminum Tactical Rail Sure Grip Checkering Hard Coat	Glock® Compatible (2) 15-round Magazines
WEIGHT	OVERALL LENGTH	TRIGGER
26.5 oz / 1.66 lbs	7.29 Inches	Competition Flat Face
PLATFORM	MATERIALS	GRIPS
Metal Striker Fire (Safe Action)	Bar-Stock	Interchangable Black & Red Included

Full Metal Frame

space-grade, eloxal+fixage
plated aluminum-milled frame

**3 Optics Ready Slide Cut
for Mounting Optics**

The X-Fire allows the most
popular red-dot sights
brands to be mounted

**Expertly Crafted Tennifer Coated,
perforated 4140 Steel Slide**

Aggressive windows, deep angled
serrations, optic ready.

7.04 in. / 179 mm

5 in. / 127 mm

Flat Face
Trigger

Interchangeable Grip Panels

For a more customizable experience.

2x 15 Rds
Glock Magazines



X-FIRE



Designed with the shooter in mind, the XF PRO comes with interchangeable grip panels for a fully customizable experience. It is compatible with Glock® magazines of any capacity, ensuring versatility and convenience. The slide is equipped with Novak Sights and features RMR and RMSc plate cuts, allowing direct mounting of popular red-dot sights without the need for cumbersome plates or adapters.

The XF PRO comes packaged in an elegant hard plastic case within a carton box, containing two 15-round magazines, three mounting plates, a cleaning kit, and spare color grip panels. The Glock®-compatible barrel is nitride-treated, honed, burnished, and plated, delivering unparalleled accuracy. The XF PRO is the result of meticulous engineering, rigorous testing by competitive shooters, and invaluable feedback from law enforcement professionals, making it a truly exceptional firearm.

X-FIRE



**QPQ/PVD PLATED
FLUTED BARREL
OPTIONAL THREADED
VERSION**



ENHANCED PORTED SLIDE



**RMR, RMSc OPTICS
READY GLOCK
COMPATIBLE NOVAK
SIGHTS**



**EXTENDED
BEAVER TAIL**



**ALUMINUM
GRIP PANELS**




**EXTENDED
MAG RELEASE**



**UNIVERSAL
PICATINNY RAIL**



**ALUMINUM
FLAT FACE TRIGGER**



**FULL LENGTH RAIL
PROVIDING MORE
RECOIL CONTROL**

X-FIRE (XF-PRO) 9X19 MM PISTOL



FX-01



FX-02



FX-03



FX-04



FX-05



FX-06



FX-07



FX-08



FX-09



FX-10



FX-11



FX-12



FX-13



FX-14



FX-15

SPARE PARTS



SPF-001
Aluminum Grip Panels



SPF-002
Aluminum Grip Panels



SPF-003
Aluminum Grip Panels



SPF-004
Aluminum Grip Panels



SPF-005
Aluminum Grip Panels



SPF-006
Aluminum Grip Panels




SPF-007
9 mm Glock Compatible
Plain Barrel



SPF-008
9 mm Glock Compatible
Fluted Barrel



SPF-009
9 mm Glock Compatible
Fluted-Threaded Barrel



SPF-010
9 mm Glock Compatible
Dual-Recoil Spring



TACTICAL DEFENSE



XA-4

XA-4 12 GA ARGO SHOTGUN



Operation System :	Auto-Regulating Gas-Operated System
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 cm (18,5") 51cm(20")
Buttstock :	Stable
Coating :	Blued, Chrome, Nickel, Cerakote, Camouflage
Capacity :	5+1 And 7+1
Choke Options :	Mobile Choke Set
Weight :	7,4 Pounds
Overall Length :	43"



ERMOX XA-4 Tactical Semi-Automatic Shotgun features Auto- Regulating Gas-Operated (ARGO) system: a simple, selfcleaning, piston-driven action. The unique, short-stroke, dualpiston design has a gas ported located just forward of the chamber, resulting in less fouling and more reliable cycling. Pistons push directly against the bolt, for faster operation and minimal vibration. This eliminates any extra weight from any connecting linkages or heavy action bars under the forend. The result: Marine-tough reliability, for the harshest environments.

A black synthetic collapsible stock features a textured pistol grip. The 18-1/2" barrel includes an adjustable ghost ring rear sight, and fixed blade front sight, plus standard M choke tube. A picatinny rail awaits your optics (not included). The drilled and tapped receiver is ready for the elements, in an anodized black finish.

XA-4 12 GA ARGO SHOTGUN



XS-01



XS-04



XS-02



XS-05



XS-03



XS-06

XA-4 12 GA ARGO SHOTGUN



Operation System :	Auto-Regulating Gas-Operated System
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 cm (18,5") 51cm(20")
Buttstock :	Stable
Coating :	Blued, Chrome, Nickel, Cerakote, Camouflage
Capacity :	5+1 And 7+1
Choke Options :	Mobile Choke Set
Weight :	7,4 Pounds
Overall Length :	43"



ERMOX XA-4 Tactical Semi-Automatic Shotgun features Auto- Regulating Gas-Operated (ARGO) system: a simple, selfcleaning, piston-driven action. The unique, short-stroke, dualpiston design has a gas ported located just forward of the chamber, resulting in less fouling and more reliable cycling. Pistons push directly against the bolt, for faster operation and minimal vibration. This eliminates any extra weight from any connecting linkages or heavy action bars under the forend. The result: Marine-tough reliability, for the harshest environments.

A black synthetic collapsible stock features a textured pistol grip. The 18-1/2" barrel includes an adjustable ghost ring rear sight, and fixed blade front sight, plus standard M choke tube. A picatinny rail awaits your optics (not included). The drilled and tapped receiver is ready for the elements, in an anodized black finish.

XA-4 12 GA ARGO SHOTGUN



Operation System :	Auto-Regulating Gas-Operated System
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 cm (18,5") 51cm(20")
Buttstock :	Stable/Telescopic
Coating :	Blued, Chrome, Nickel, Cerakote, Camouflage
Capacity :	5+1 And 7+1
Choke Options :	Mobile Choke Set
Weight :	7,4 Pounds
Overall Length :	43"



ERMOX XA-4 Tactical Semi-Automatic Shotgun features Auto- Regulating Gas-Operated (ARGO) system: a simple, selfcleaning, piston-driven action. The unique, short-stroke, dualpiston design has a gas ported located just forward of the chamber, resulting in less fouling and more reliable cycling. Pistons push directly against the bolt, for faster operation and minimal vibration. This eliminates any extra weight from any connecting linkages or heavy action bars under the forend. The result: Marine-tough reliability, for the harshest environments.

A black synthetic collapsible stock features a textured pistol grip. The 18-1/2" barrel includes an adjustable ghost ring rear sight, and fixed blade front sight, plus standard M choke tube. A picatinny rail awaits your optics (not included). The drilled and tapped receiver is ready for the elements, in an anodized black finish.

XA-4 12 GA ARGO SHOTGUN



XT-01



XT-04



XT-02



XT-05



XT-03




XT-06

XA-4 PRO

XA-4 PRO 12 GA ARGO SHOTGUN



Operation System :	Auto-Regulating Gas-Operated System
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 cm (18,5") 51cm(20")
Buttstock :	Stable/Telescopic
Coating :	Blued, Chrome, Nickel, Cerakote, Camouflage
Capacity :	5+1 And 7+1
Choke Options :	Mobile Choke Set
Weight :	7,4 Pounds
Overall Length :	43"



The ERMOX XA-4 PRO builds upon the trusted reliability of the original XA-4, introducing advanced features designed for tactical applications. Its Auto-Regulating Gas-Operated (ARGO) system ensures self-cleaning, minimal fouling, and dependable cycling even in harsh environments. The lightweight, short-stroke dual-piston design provides rapid operation with reduced vibration. The PRO model features a streamlined receiver for faster reloading, a lightened mechanism for improved handling, an oversized charging handle for effortless operation, and a dual-function bolt release button for quick and efficient use. The barrel clamp includes a Picatinny rail, allowing for the attachment of accessories like lasers and flashlights, while muzzle ports enhance recoil control and shot speed. Equipped with an 18.5" barrel, adjustable ghost ring rear sight, fixed blade front sight, collapsible synthetic stock with textured pistol grip, and a Picatinny rail for optics, the XA-4 PRO is ready for any mission. Its anodized black finish and standard M choke tube ensure durability and versatility in the toughest conditions.

XPA-12



XPA-12 DUAL ACTION 12 GA SHOTGUN



Operation System :	Dual Action (Semi-Auto + Pump – Action Integrated)
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 cm (18,5") 51 cm (20")
Buttstock :	Stable/Telescopic
Coating :	Chrome, Nickel, Cerakote, Camouflage
Capacity :	2 / 5 / 10
Choke Options :	Stable Choke
Weight :	8,9 Pounds
Overall Length :	38,7"



The XPA-12 offers both semi-automatic and pump-action operations in a single shotgun. This means you have the versatility of both a semi-automatic and a pump-action shotgun in one platform.

The XPA-12 is a 12-gauge, gas-operated shotgun with a 76 mm (3") chamber. It reliably cycles with loads ranging from 24 grams (7/8 oz) to heavy magnums. In semi-automatic mode, the shotgun operates like any other gas-operated firearm, while in pump-action mode, it requires manual cycling.

Magazine options include 2, 5, and 10-round capacities, allowing users to choose based on their specific needs. Its ergonomic and modern design places it ahead of its competitors.

Designed and manufactured following extensive R&D, the ERMOX XPA-12 semi-automatic and pump-action magazine-fed shotgun delivers maximum quality and enjoyment for shotgun enthusiasts.

XPA-12 DUAL ACTION 12 GA SHOTGUN



XSX-01



XSX-02



XSX-03

XPA-12 DUAL ACTION 12 GA SHOTGUN



Operation System :	Dual Action (Semi-Auto + Pump – Action Integrated)
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 cm (18,5") 51 cm (20")
Buttstock :	Stable/Telescopic
Coating :	Chrome, Nickel, Cerakote, Camouflage
Capacity :	2 / 5 / 10
Choke Options :	Stable Choke
Weight :	8,9 Pounds
Overall Length :	38,7"



The XPA-12 offers both semi-automatic and pump-action operations in a single shotgun. This means you have the versatility of both a semi-automatic and a pump-action shotgun in one platform.

The XPA-12 is a 12-gauge, gas-operated shotgun with a 76 mm (3") chamber. It reliably cycles with loads ranging from 24 grams (7/8 oz) to heavy magnums. In semi-automatic mode, the shotgun operates like any other gas-operated firearm, while in pump-action mode, it requires manual cycling.

Magazine options include 2, 5, and 10-round capacities, allowing users to choose based on their specific needs. Its ergonomic and modern design places it ahead of its competitors.

Designed and manufactured following extensive R&D, the ERMOX XPA-12 semi-automatic and pump-action magazine-fed shotgun delivers maximum quality and enjoyment for shotgun enthusiasts.

XPA-12 DUAL ACTION 12 GA SHOTGUN



XTX-01



XTX-03



XTX-02



XTX-04



XR SERIES

XR SERIES 12 GA AR STYLE SHOTGUN



Operation System :	AR Style Gas Operated Semi-Automatic
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	28 cm (9") 47 cm (18.5")
Buttstock :	Synthetic – Fixed – Adjustable- Telescopic- Folding
Coating :	Chrome, Nickel, Cerakote
Capacity :	2 / 5 / 10 / 20
Choke Options :	Mobile Choke Set
Weight :	7 Pounds Average
Overall Length :	37.68"



XR-4



XR-5



XR-4 MINI

The XR stands out as one of the premier magazine-fed shotguns available today. Its exceptional construction, using high-quality materials, meets stringent proof house standards, enabling compatibility with 3-inch and steel shot cartridges. This top-notch tactical shotgun comes equipped with full-length Picatinny rails and standard-fitted swivels.



TAC



TAC-4 SERIES



Operation System :	Pump Action
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	35,5 cm (13,9")
Buttstock :	Stable, Telescopic, Pistol Grip
Coating :	Blued
Capacity :	2 / 5 / 10
Choke Options :	Stable Choke
Weight :	4,9 - 6,0 pounds
Overall Length :	27,2" - 35"



TAC-4 MP1



TAC-4 MP2



TAC-4 MP3

Ermox pump-action shotguns have been proven in some of the harshest conditions on Earth. Also known as slide-action shotguns, they feature a mechanical action connected to a sliding grip under the barrel. After each shot, the pump is cycled back and forward to eject the spent shell and chamber a new one.

TAC-4 SERIES



Operation System :	Pump Action
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	35,5 cm (13,9")
Buttstock :	Stable, Telescopic, Pistol Grip
Coating :	Blued
Capacity :	4+1 / 7+1
Choke Options :	Stable Choke
Weight :	4,9 - 6,0 pounds
Overall Length :	27,2" - 35"



TAC-4 P1



TAC-4 P2

With the TAC-4, the safety is disengaged efficiently, allowing the trigger finger to move directly from the receiver to the trigger. The only delay is the time it takes to bring the shotgun to the target and focus on the sight.

ERMO



BULLPUP

UNRIVAL

AR-15 TYPE
CHARGING HANDLE
EXCLUSIVE GLIMPSE INTO SUPERSTAR

EXCLUSIVE

BESTSELLER
BULLPUP
SHOTGUN



BULLPUP SERIES



Operation System :	Semi Auto
Gauge :	12 - 20 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 cm (18,5")
Buttstock :	Stable
Coating :	Blued, Chrome, Nickel, Cerakote, Camouflage
Capacity :	6+1
Choke Options :	Stable Choke
Weight :	8,15 pounds
Overall Length :	29,5"



ERMOX BULLPUP SERIES create a more tactical magfed shotgun. It's smaller overall than most shotguns on the market but packs a solid punch thanks to its ability to retain a longer barrel even with a shorter stock. Features include an AR-platform style charging handle, adjustable cheek riser, and rails that are both Picatinny and M-Lok. The gun ships with a trio of choke tubes, removable open iron sights, and 2-5-10 round magazine. A 20-round DRUM MAGAZINE is available as an aftermarket purchase.



X-SHOT

X-SHOT-4 SERIES



Operation System :	Pump Action
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	35,5 cm (13,9")
Buttstock :	Stable, Telescopic, Pistol Grip
Coating :	Blued
Capacity :	2 / 5 / 10
Choke Options :	Stable Choke
Weight :	4,9 - 6,0 pounds
Overall Length :	27,2" - 35"



TACTICAL



SYNTHETIC



WALNUT

Made by the talented engineers of Ermox Defense, the XSHOT-4 is lighter, faster and more ergonomic than ever. The 4140 steel, the chrome used on the outside and inside are making the barrel very wearresistant and offer excellent protection against rust and pitting. The XSHOT-4 offers both tactical or stable stock options. Compensator addition promises you the lightest recoil effect ever!



ARGO SYSTEM
HUNTING SHOTGUN !!

X-LINE

Operation System :	Auto-Regulating Gas-Operated System
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	61 cm (24") 66 cm (25") 71 cm (27") 76 cm (29")
Buttstock :	Stable, Graded Turkish Walnut
Coating :	Blued, Nickel, Bronze, Cerakote
Capacity :	5+1
Choke Options :	Stable Choke
Weight :	7,4 pounds
Overall Length :	51,57"



ERMOX is a company of avid shotgunners who never stop thinking about new and innovative ways to make our products even better. The sporting version of the X-LINE perfectly embodies this "SPECIAL." Using the popular field model as a basis, we refined the recoil-absorbing cheek-comb pad, raised the wide sporting rib, and outfitted the barrel with porting to get your second shot on target quickly. Available in 12-, 20-, and 28-gauge models, it cycles even the lightest target loads (e.g., 7/8 oz. in 12-gauge).

Light, nimble, and ruggedly built, ERMOX X-LINE/SPECIAL is the workhorse of the ERMOX semi-automatic line. Designed around the ultrareliable Inertia Driven® System, this shotgun will digest anything from 2¾" target loads to the heaviest 3" magnums.

The adjustable comb can be moved horizontally ¼ inch from the centerline of the stock in either a left or right direction. The comb can be adjusted vertically upward ½ inch by using washers that slide over the post. These comb adjustments ensure that the shooter's eye is in alignment with the centerline of the rib.

X-LINE SPECIAL WALNUT



Operation System :	Auto-Regulating Gas-Operated System
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	61 cm (24") 66 cm (25") 71 cm (27") 76 cm (29")
Buttstock :	Stable, Graded Turkish Walnut
Coating :	Blued, Nickel, Bronze, Cerakote
Capacity :	5+1
Choke Options :	Stable Choke
Weight :	7,4 pounds
Overall Length :	51,57"



Experience the performance, quality, features and value that set our X-LINE shotguns above all others in their class. Enjoy the fit and feel offered by their sleek profiles, slim forends and integrated ergonomics to produce superior pointability. The barrels have weather-resistant Cerakote finish, Precision Cone Patterning for improved shot patterns, and upgraded fiberoptic sights to get you on target fast in most lighting conditions. Stocks are adjustable for drop and cast to ensure a great fit. TSA recoil pads dramatically reduce felt recoil, even when using magnum loads. Wide loading ports, along with large bolt releases and oversized bolt handles will be appreciated by hunters wearing gloves in cold or inclement weather. Take your shooting to the next level.

X-LINE SYNTHETIC



Operation System :	Auto-Regulating Gas-Operated System
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	61 cm (24") 66 cm (25") 71 cm (27") 76 cm (29")
Buttstock :	Stable, Synthetic
Coating :	Blued, Nickel, Bronze, Cerakote
Capacity :	5+1
Choke Options :	Stable Choke
Weight :	7,4 pounds
Overall Length :	51,57"



With its superior design, the stock of X-LINE SYNTHETIC is specially crafted from sturdy and light weight polymer material, combining elegance and durability to offer you a unique shooting experience.

X-LINE SPEED



Operation System :	Auto-Regulating Gas-Operated System
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	61 cm (24") 66 cm (25") 71 cm (27") 76 cm (29")
Buttstock :	Stable, Graded Turkish Walnut
Coating :	Blued, Nickel, Bronze, Cerakote
Capacity :	5+1
Choke Options :	Stable Choke
Weight :	7,4 pounds
Overall Length :	51,57"



X-LINE Speed has the World Famous ARGO mechanism featuring with extended charging port, extended release button and customizeble/exten dable tubular magazine.

ROCKY SXS



ROCKY SXS



Operation System :	Boxlock Side by Side
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	4140 Forged Steel
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	51cm (20") -61 cm (24") – 66 cm (25") - 72 cm (28")
Buttstock :	Stable (Turkish Walnut/Synthetic)
Coating :	Chrome, Nickel, Cerakote, Camouflage
Capacity :	2
Choke Options :	Mobile Choke Set
Weight :	5.9 pounds
Overall Length :	92cm (36,22 ")



Rocky model Side by Sides promise durableness, elegance, and performance. Featuring an selected Turkish Walnut Stock with customizable receiver engravings and color. Available in 12 gauge, built on a true forged steel frame with precision laser engraved detail. The Rocky comes standard with 5 chokes, brass bead front sight and a selective top tang safety. The Rocky holds Huglu’s archaic craftsmanship and cutting edge technology for a reasonable pricing.



OVER & UNDER

Operation System :	SINGLE SELECTIVE TRIGGER WITH EJECTOR AND SELECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	FORGED STEEL
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 CM / 51 CM / 61 CM / 66 CM / 71 CM / 76 CM / 81 CM
Buttstock :	TURKISH WALNUT
Coating :	WHITE CHROME
Capacity :	2
Choke Options :	5 Choke (CL/IC/M/IM/F)



The Ermox Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.

Operation System :	SINGLE SELECTIVE TRIGGER WITH EJECTOR AND SELECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	FORGED STEEL
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 CM / 51 CM / 61 CM / 66 CM / 71 CM / 76 CM / 81 CM
Buttstock :	TURKISH WALNUT
Coating :	BLACK CHROME
Capacity :	2
Choke Options :	5 Choke (CL/IC/M/IM/F)



The Ermox Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.

Operation System :	SINGLE SELECTIVE TRIGGER WITH EJECTOR AND SELECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	FORGED STEEL
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 CM / 51 CM / 61 CM / 66 CM / 71 CM / 76 CM / 81 CM
Buttstock :	TURKISH WALNUT
Coating :	BLACK CHROME
Vent Rib :	VALMET
Capacity :	2
Choke Options :	5 Choke (CL/IC/M/IM/F)



The ErmoX Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.

Operation System :	SINGLE SELECTIVE TRIGGER WITH EJECTOR AND SELECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	FORGED STEEL
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 CM / 51 CM / 61 CM / 66 CM / 71 CM / 76 CM / 81 CM
Buttstock :	TURKISH WALNUT
Coating :	BLACK CHROME
Capacity :	2
Choke Options :	SLUG BARREL WITH PICATINNY RAILS



The Ermox Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.

Operation System :	SINGLE SELECTIVE TRIGGER WITH EJECTOR AND SELECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	FORGED STEEL ENGRAVING RECEIVER
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 CM / 51 CM / 61 CM / 66 CM / 71 CM / 76 CM / 81 CM
Buttstock :	TURKISH WALNUT
Coating :	BLACK CHROME
Capacity :	2
Choke Options :	5 Choke (CL/IC/M/IM/F)



The Ermox Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.

Operation System :	SINGLE SELECTIVE TRIGGER WITH EJECTOR AND SELECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	FORGED STEEL HAND MADE ENGRAVING
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 CM / 51 CM / 61 CM / 66 CM / 71 CM / 76 CM / 81 CM
Buttstock :	TURKISH WALNUT
Coating :	BLACK CHROME
Capacity :	2
Choke Options :	5 Choke (CL/IC/M/IM/F)



The ErmoX Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.

Operation System :	SINGLE SELECTIVE TRIGGER WITH EJECTOR AND SELECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	FORGED STEEL
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 CM / 51 CM / 61 CM / 66 CM / 71 CM / 76 CM / 81 CM
Buttstock :	ADJUSTABLE TURKISH WALNUT
Coating :	NICKEL
Capacity :	2
Choke Options :	5 Choke (CL/IC/M/IM/F)



The ErmoX Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.

Operation System :	SINGLE SELECTIVE TRIGGER WITH EJECTOR AND SELECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	FORGED STEEL
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47 CM / 51 CM / 61 CM / 66 CM / 71 CM / 76 CM / 81 CM
Buttstock :	ADJUSTABLE PALM SWEEL TURKISH WALNUT
Coating :	BLACK CHROME
Rib :	ADJUSTABLE UPPER RIB
Capacity :	2
Choke Options :	EXTERNAL 5 Choke (CL/IC/M/IM/F)



The ErmoX Over & Under shotgun represents a fusion of traditional craftsmanship and modern technology. Available in either a standard steel or lightweight aluminum alloy receiver, both versions include a single selective trigger mechanism with automatic ejectors. These shotguns boast quality Turkish walnut wood for stocks and forends, enhancing their visual appeal. The barrels, crafted to high standards, feature a durable high gloss finish, contributing to the overall attractive design. Accommodating interchangeable steel alloy mobile chokes, the barrels enable hunters and shooters to customize shot patterns for specific targets, tailoring the gun to their individual preferences.



Operation System :	Single Break Action with EJECTOR
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	47cm (18,5") 51cm (20") 61 cm (24") 66 cm (25") 71 cm (27")
Buttstock :	Stable (Turkish Walnut/Synthetic)
Coating :	Chrome, Nickel, Cerakotega, Camouflage
Capacity :	4+1 / 7+1 / 9+1
Choke Options :	Mobile Choke Set
Weight :	5,07 Pounds
Overall Length :	24 cm (48,81 ")



Ermox Break-Action shotguns are based on one of the oldest shotgun designs around, updated with modern performance and safety features. They feature barrels and chambers that unlock from each other and pivot on a hinge to allow for loading. Spent shells are automatically ejected from the breech.



RVL-4

Operation System :	Revolver
Gauge :	.410 GA
Chamber :	76MM
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	61 cm (24") 66 cm (25") 71 cm (27") 76 cm (29")
Buttstock :	Stable, Graded Turkish Walnut
Coating :	Blued, Nickel, Bronze, Cerakote
Capacity :	5
Choke Options :	Stable Choke
Weight :	5,2 pounds
Overall Length :	97 cm (38.18")



RVL-4 Compact Shotgun

Weighing just 4.5 lbs with a compact 24” overall length, the RVL-4 is designed for portability and versatility. Its .410 GA chamber offers impressive power, with slugs delivering nearly double the muzzle energy of a .357 Magnum. The 9.8” steel-shot-rated barrel, threaded for interchangeable chokes (C, F, and M included), accommodates 3" shells. Featuring a walnut stock with aggressive checkering for a secure grip and a double-thickness rubber buttpad for comfort, the RVL-4 is ideal for beginners or smaller-statured shooters. Optional Picatinny rail and a Canadian-made leather belt holster by Ridge Top Tack are available.

This lightweight, non-restricted revolver-action shotgun combines premium craftsmanship with practicality, making it a standout choice for any shooter. Limited supply—act quickly!

Key Features:

- Compact and lightweight (4.5 lbs, 24” OAL)
- Double-thickness rubber buttpad
- Steel-shot-rated barrel with interchangeable chokes
- Optional Picatinny rail for optics
- Aggressive walnut stock checkering for a secure grip



SAX SERIES

SAX SERIES



Operation System :	Gas Operated
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	61 cm (24") 66 cm (25") 71 cm (27") 76 cm (29")
Buttstock :	Stable, Graded Turkish Walnut
Coating :	Blued, Nickel, Bronze, Cerakote, Camouflage
Capacity :	4+1 / 7+1
Choke Options :	Mobile Choke Set
Weight :	6,6 pounds
Overall Length :	51,57"



SA X7



SA X3



SA X5



SA X6

12 GA Gas-Operated Semi-Automatic Shotgun

combines reliability with precision. Built with a 7075 aluminum receiver and a robust 4140 steel barrel, this shotgun delivers outstanding performance. Available in barrel lengths of 24", 25", 27", and 29", it features a mobile choke set for customizable shooting. The stable Turkish walnut buttstock offers a premium feel, while multiple coatings (Blued, Nickel, Bronze, Cerakote, Camouflage) ensure durability and aesthetic variety. With a capacity of 4+1 or 7+1 rounds, it's ideal for tactical and sporting use. Weighing just 6.6 pounds and an overall length of 51.57", this shotgun is built for smooth handling and quick follow-up shots.

SAX SERIES



Operation System :	Gas Operated
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	61 cm (24") 66 cm (25") 71 cm (27") 76 cm (29")
Buttstock :	Stable, Graded Turkish Walnut
Coating :	Blued, Nickel, Bronze, Cerakote, Camouflage
Capacity :	4+1 / 7+1
Choke Options :	Mobile Choke Set
Weight :	6,6 pounds
Overall Length :	51,57"



SAX X1



SAX X2



SAX X4



SAX X8

Key Features:

Gas-operated action for reliable cycling

12 GA, 76 mm (3") chamber

Mobile choke set for versatile shooting

Premium Turkish walnut buttstock

Multiple coating options (Blued, Nickel, Bronze, Cerakote, Camouflage)

4+1 / 7+1 capacity

Weighs 6.6 lbs, 51.57" overall length

SAX SERIES



Operation System :	Gas Operated
Gauge :	12 GA
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	61 cm (24") 66 cm (25") 71 cm (27") 76 cm (29")
Buttstock :	Stable, Graded Turkish Walnut
Coating :	Blued, Nickel, Bronze, Cerakote, Camouflage
Capacity :	4+1 / 7+1
Choke Options :	Mobile Choke Set
Weight :	6,6 pounds
Overall Length :	51,57"



SA X9



SA X10



SA X11

LVR SERIES



LVR WALNUT SERIES



Operation System :	Lever Action
Gauge :	.410
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum 4140 Forged Steel
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	51 / 61 cm (20" / 24")
Buttstock :	Stable (Turkish Graded Walnut/Synthetic)
Coating :	Black, Nickel, Cerakote, Color Case
Capacity :	20" (5+1 / 7+1) - 24" (5+1 / 7+1 / 9+1)
Choke Options :	Cylinder / MC5
Weight :	6,6 Pounds
Overall Length :	36" -37"



LVR410-AE



LVR-91 CR



LVR-91 HD



LVR-91 BLUED

LVR MODERN SERIES



Operation System :	Lever Action
Gauge :	.410
Chamber :	76 mm / 3"
Receiver :	7075 Aluminum 4140 Forged Steel
Barrel :	4140 Steel, (Solid/Drilled Material Processing)
Length of Barrel :	51 / 61 cm (20" / 24")
Buttstock :	Stable (Turkish Graded Walnut/Synthetic)
Coating :	Black, Nickel, Cerakote, Color Case
Capacity :	20" (5+1 / 7+1) - 24" (5+1 / 7+1 / 9+1)
Choke Options :	Cylinder / MC5
Weight :	6,6 Pounds
Overall Length :	36" -37"



LVRTX SKELETON



LVRTX SKELETON CAMO



LVRTX SKELETON HD



LVRST TACTICAL



The RAREST GUN OF THE WORLD

ROTARY

.410 OVER AND UNDER SHOTGUN.

410/.308 Win SHOTGUN/RIFLE COMBO

ROTARY ROUND ACTION

X-ROTARY RIFLE



Operation System :	Rotary Round Action
Gauge :	.410ga O/U Shotgun + .410/.308 WIN O/U Rifle Combination
Chamber :	76 mm / 3"
Receiver :	4140 Steel,(Solid/Drilled Material Processing)
Barrel :	4140 Steel,(Solid/Drilled Material Processing)
Length of Barrel :	51 / 61 cm (20" / 24")
Buttstock :	Graded Turkish Walnut / Laminated
Coating :	Chrome, Nickel, Cerakote, Camouflage
Capacity :	2
Choke Options :	Cylinder / MC5
Weight :	3 pounds
Overall Length :	40,31"



Rotary Round Action

The cleanliness and simplicity of all functions in ERMOX's Ultralight Rotary Round Action gun camouflage the creativity and elaborate engineering involved in its creation.

X-ROTARY RIFLE



The sharp edges of the flat-sided action bar are sculpted with a gentle radius that blends smoothly into the similarly rounded grip and forend. The result is a graceful-looking firearm that feels more comfortable in hand when carried at its balance point.

I keep calling this a "gun" instead of a "rifle" because it's both—and more. ERMOX can craft it as an over-and-under rifle, a shotgun, or even a combination gun. The rifle can chamber any rimmed centerfire cartridge up to the 450 Nitro Express or any rimfire.

Thanks to the perfectly cylindrical, unencumbered receiver on this unique firearm, the term “turned out” aptly describes its construction. The receiver is elegantly lathe-turned, free of protruding handles, knobs, levers, or switches. It is the gun world's ultimate example of form following function. But “turned” also describes its operation.

To open the action and expose the chambers for loading, simply twist the barrels a quarter-turn to the right. This disengages the two massive locking lugs. Push the barrels forward about an inch to reveal the hinge plate. The barrels then hinge down at approximately a 45-degree angle. Drop in two cartridges, raise the barrels, push them back into position, and twist left to lock. Done!



Simplicity and durability.

Traditional break-action doubles pivot around a hinge pin below the axis of the bores. Upon firing, expanding gases create the well-known Newtonian reaction to the action. The barrels leap forward, away from the face of the breech, but their linear motion is interrupted by the under-lug, which pivots around the hinge pin. Breech and barrels spring apart ever so slightly.

Internally, the action is equally simple and nearly foolproof. The tiny firing pins are driven by strikers powered by coil springs, and all pieces are in a straight line behind the bores. You can dry-fire the gun as often as you want with no ill effects.

The safety directly engages the strikers, holding them back regardless of what the triggers do. Sear and striker engagement provide so much mechanical advantage that the double triggers can be set to break crisply with minimal pull weight. I can vouch for that.

Unloading the gun after firing is dead simple. Merely rotate the barrels again, pull the receiver back one inch to expose the hinge pin, and tip the gun upside down while hinging it open. Massive extractors engage half of each cartridge's rim to push them far out of the chambers, at which point gravity pulls them away.

Turn the gun upright, drop in two fresh rounds, push the receiver and barrel together, turn it a quarter-turn left, and you're ready to shoot again.




The whole operation, like the gun itself, is a beautiful thing.

Much of that beauty comes from the marbled walnut chosen for the stock, precise hand-checkering, and perfect wood-to-metal fit. The English scroll engraving on the barrel breech, action tang, trigger bow, hinged grip cap, and barrel quarter-rib is done by ERMox.

Additional touches on the rifle include a flip-over front-sight hood (with a spare under the grip cap), a barrel-mounted sling stud, a shadow-line cheekpiece, and an integral quick-release scope mount that allows removal and replacement in seconds without loss of zero.

The clean lines and simplicity of all functions in the Rotary Round Action camouflage the intricate creativity and elaborate engineering involved in its creation—a final testament and compliment to its inventor. Your odds of finding an ERMox Rotary Round Action gun of any type on a store shelf are virtually none.

4140 Steel, (Solid/Drilled Material Processing) Receiver,
4140 Steel,(Solid/Drilled Material Processing) 24"/28" Barrel,
Exact Grade 3 Turkish Walnut Stock,
Ultralight! Only 3 Pounds,
Unique and Patented!





The whole operation ,
like the gun itself ,
is a beautiful thing!



RED



OPTIONAL



BLACK



OPTIONAL



BROWN



OPTIONAL

SPECIFICATIONS

5 ROUND MAGAZINE

Height : 17,5 cm / 7 inch

Depth : 25 mm / 1 inch

Width : 77 mm / 3 inch

MAIN SPECIFICATIONS

- Fits to most 12 gauge Shell only AR and Bullpup type shotguns
- Polished Surface /corrosion resistant
- Reinforced main body
- Injection mold processed
- Heat processed
- Made in Turkey



GRAY



OPTIONAL



BROWN



OPTIONAL



WHITE



OPTIONAL



GREEN



OPTIONAL



BROWN



OPTIONAL



WHITE



OPTIONAL



BLACK



OPTIONAL



ORANGE



OPTIONAL



DRUM MAGAZINE
BLACK



20 ROUND DRUM MAGAZINE

MAIN SPECIFICATIONS

- 12 CALIBER 20 ROUNDS DRUM MAGAZINE IS FULLY COMPATIBLE WITH ALL 1919 TYPE SHOTGUNS.
- METAL PARTS AND INNER SPRINGS ARE REINFORCED BY HEAT TREATING PROCESS.
- THE METAL CHARGER PART IS MADE OF A SPECIAL ALLOY SHEET AND THE LOCK BEDDINGS ARE RESISTANT AGAINST CORROSION.
- PATENTED EASY LOADING HANDWHEEL MAKES IT EASIER FOR USERS TO LOAD IT COMFORTABLY.
- IT IS IMPORTANT TO CHECK OUT THE MANUAL'S GUIDE FOR THE HEALTHY USE.
- THE COLOR VARIATIONS ARE NOT COATED RATHER MOLDED THIS WAY TO ENSURE MAXIMUM RESISTANCE AGAINST SCRATCHES.
- ALL COLOR OPTIONS ARE MANUFACTURED IN A STRICT GUIDELINES TO ENSURE LONG YEARS OF USE.
- ALL DRUM MAGAZINE MODELS ARE PRODUCED TO FIT PERFECTLY ON ALL 1919 TYPE 12 CALIBER SHOTGUNS.
- ALL PRODUCTIONS ARE STANDARD AND STABLE THROUGH MOLD INJECTION SYSTEM.
- DRUM MAGAZINES ARE PRODUCED BY HEAT PROCESSED AND REINFORCED METAL PARTS COMBINED WITH REINFORCED POLYMER MATERIALS.
- ALL THE MAGAZINES ARE QUALITY TESTED AGAINST DROPS AND ENVIRONMENTAL FACTORS, AND FULLY



BLACK



PARTS BLACK



BROWN



CEDAR BROWN



WHITE



RED



CREAM



GREEN

CONTACT US



+90 332 516 15 00



+90 544 649 28 47



info@ermox.com.tr



www.ermox.com.tr



Huğlu Mah. 43206. Sk No:5
Beyşehir / Konya / Turkey

Mehmet Capraz


Export Manager



+90 544 649 2847



mehmet@ermox.com.tr



2025

PRODUCT CATALOG